

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of	)	<b>MAIL STOP AF</b>
Nathalie Feyt <i>et al.</i>	)	Group Art Unit: 2431
Application No.: 10/518,639	)	Examiner: Sarah Su
Filing Date: December 20, 2004	)	Confirmation No.: 4953
Title: METHOD OF GENERATING	)	
ELECTRONIC KEYS FOR A	)	
PUBLIC-KEY CRYPTOGRAPHY	)	
METHOD AND A SECURE	)	
PORTABLE OBJECT USING SAID	)	
METHOD	)	

**PRE-APPEAL BRIEF REQUEST FOR REVIEW**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Applicants respectfully request review of the rejection of claims 1-18 set forth in the Office Action dated December 24, 2008 and maintained in the Advisory Action dated May 13, 2009. This Request is being filed with a Notice of Appeal. No additional amendments are being filed in response to the Office Action.

**Rejections Under 35 U.S.C. § 103**

Claims 1-6 and 8-18 stand rejected under 35 U.S.C. § 103(a) as unpatentable over Futa U.S. Patent No. 7,130,422 and Hopkins U.S. Patent Pub. No. 2005/0190912 A1. Claim 7 stands rejected under 35 U.S.C. § 103(a) as unpatentable over Futa, Hopkins and Matyas U.S. Patent No. 4,736,423. Applicants respectfully traverse these rejections.

As discussed in more detail in previous responses, Applicants' claims are directed to a method of generating electronic keys for a public-key cryptography

method using an electronic device. The claims also relate to a secure portable object using the claimed method.

Applicants' claimed embodiments encompass the generation of keys for an RSA-type cryptography system and to their storage on a secure object that can be used, for example, in an application requiring security. The claimed subject matter can apply to secure objects that do not have a large memory resource, such as an electrically programmable memory, or powerful calculation resources, as is the case for chip cards. An embodiment can include, for example, electronic commerce implemented using a mobile telephone. In this context, the keys may be on the SIM card of the telephone, for example.

The claimed embodiments address a problem of calculation complexity associated with managing the generation of keys and also the problem of the lack of flexibility due to the initial and definitive storage of a large number of keys and certificates during a personalization phase.

An embodiment relates to a method of generating electronic keys,  $d$ , for a public-key cryptography method using, for example, an electronic device, mainly characterized in that it comprises two separate calculation steps:

Step A, which includes 1) calculating pairs of prime numbers  $(p, q)$  or values representative of pairs of prime numbers. This calculation is independent of knowledge of the pair  $(e, l)$ , in which  $e$  is the public exponent and  $l$  is the length of the key of the cryptography method, and where  $l$  is the length of the modulus  $N$  of the method, and 2) storing the pairs or values thus obtained; and Step B, which includes calculating the key,  $d$ , from the results of step A and knowledge of the pair  $(e, l)$ . Thus, the claimed embodiments provide a method that involves two separate

steps, in which the second step - which can be performed very quickly compared to known solutions - can be carried out in real time. This embodiment can also use a relatively small amount of memory space.

Applicants respectfully submit that the same combination of elements is neither disclosed nor suggested by Futa, Hopkins or Matyas, viewed alone or in combination. For example, various sections of Futa (col. 9, lines 3-4 and lines 41-43 and col. 11, lines 6-10 and 13-14) are cited for support of the claimed method where pairs of prime numbers ( $p$ ,  $q$ ), or values representative of pairs of prime numbers, are calculated and stored independent of knowledge of the pair of values ( $e$ ,  $l$ ), in which  $e$  is the public exponent and  $l$  is the length of the key of the cryptography method. The Action, on page 3, states, "since the public key is calculated after the prime numbers have been calculated, the generation of the prime numbers is not made with knowledge of the public key (i.e.  $e$ ,  $l$ ).". Applicants respectfully disagree.

The cited sections of Futa disclose a prime generating unit that uses a random number to generate two prime numbers, that the generated prime number  $p$  has a bit size twice the bit size of prime  $q$ , that a public key generating unit reads primes  $p_a$  and  $p_b$  and multiplies them together to find integer  $n = p_a \times p_b$  and that a public key generating unit receives random number  $e$  from the random number generating unit and calculates number  $d = e^{-1} \bmod L$ . According to Futa, the pair of integers  $n$  and  $e$  is the public key, whereas the pair of integers  $n$  and  $d$  is the secret key.

Futa also discloses, however, at col. 6, lines 41-56, that the generating unit may include a random number generating unit for generating a random number  $R'$ , whose bit length is  $(\text{Len}_q - \text{Len}_L - 1)$ , where  $\text{Len}_q$  is the bit length of the prime  $q$  and

LenL is a bit length of  $(L_1 \times L_2 \times \dots \times L_n)$ ; and a judgment target generating unit for (a) generating a number R where  $R = L_1 \times L_2 \times \dots \times L_n \times R'$  using the random number R' and the primes  $L_1, L_2, \dots, L_n$ , and (b) generating the number N where  $N = 2 \times R \times q + 1$  using the prime q and the number R, wherein the judging unit judges the primality of the number N, using the number N and the number R generated by the judgment target generating unit.

Thus, since Futa discloses that the length of the prime number q, which is half the length of p, and which when multiplied together create integer n - which is the key length - and since the random number, which is used to generate Futa's two prime numbers, from the generating unit in Futa has a bit length based on the bit length of prime q, the above-cited sections of Futa do indeed disclose that the generation of the prime numbers is made with knowledge of the key, since the key length is set from the beginning of Futa's process. Thus, Futa's process is not independent of knowledge of the pair of values (e, l), in which e is the public exponent and l is the length of the key.

Hopkins, which is cited only for allegedly providing a communications means, does not cure the deficiencies of Futa. Moreover, Hopkins, in the cited sections, merely discloses that a recipient may publish his or her public key. Thus, Applicants respectfully submit that the cited sections of Hopkins do not adequately teach or suggest the claimed communication means for receiving at least one pair of values (e, l).

Accordingly, independent claims 1 and 12 are allowable over the cited references. This logic also disposes of the rejections of claims 2-11 and 13-18, which depend directly or indirectly from claims 1 and 12 and add further

distinguishing features. Claim 7 is also separately allowable because Futa and Hopkins are cited for teachings they do not provide and Matyas does not compensate for these deficiencies.

**Conclusion**

For the foregoing reasons, Applicants respectfully submit that this application is in condition for allowance and all pending claims are patentably distinct from the cited references. Reconsideration and allowance of all pending claims, or, in the alternative, reopening prosecution based on the arguments presented above, are respectfully requested. If additional fees are required for any reason, please charge Deposit Account No. 02-4800 the necessary amount.

Respectfully submitted,

BUCHANAN INGERSOLL & ROONEY PC

Date: May 26, 2009

By: /Brian N. Fletcher/  
Brian N. Fletcher  
Registration No. 51,683

P.O. Box 1404  
Alexandria, VA 22313-1404  
703 836 6620